Austrobaileya 2(4): 344-357 (1987)

# *RACOSPERMA* MARTIUS (LEGUMINOSAE: MIMOSOIDEAE) IN QUEENSLAND: A CHECKLIST

L. Pedley

Queensland Herbarium, Meiers Road, Indooroopilly, Qld 4068

## Summary

**The 246 species of *Racosperma* Martius known to occur in Queensland are listed alphabetically. New combinations are made for 228 species, 14 subspecies and two varieties. Most of the species were previously referred to *Acacia* Miller.**

The recognition of *Acacia* Miller subg. *Phyllodineae* Seringe as a distinct genus, *Racosperma* Martius (Pedley 1986), necessitates the transfer of most Australian species described as *Acacia* to *Racosperma*. Martius himself made only a few transfers. *Racosperma* is reasonably well known in Queensland and now is an appropriate time to publish a list of species.

Changes in the rank of some taxa are made but the circumscription of the great majority remains as before (see Pedley 1978,1980,1981,1987; Pedley & Forster 1986).

## Checklist

**Racosperma acradenia** (F.Muell.) Pedley, **comb. nov.**
*Acacia acradenia* F.Muell., Iconog. Austral Acacia, Decade 11. 4th Plate (1888).

**Racosperma adsurgens** (Maiden & Blakely) Pedley, **comb. nov.**
*Acacia adsurgens* Maiden & Blakely, J. & Proc. Roy. Soc. Western Australia 13: 28 (1928).

**Racosperma aduncum** (Cunn. ex G.Don) Pedley, **comb. nov.**
*Acacia adunca* Cunn. ex G.Don, Gen. Hist. 2: 406 (1832).

**Racosperma allenianum** (Maiden) Pedley, **comb. nov.**
*Acacia alleniana* Maiden in Ewart & Davies, Fl. N. Territory: 330 (1917).

**Racosperma amblygonum** (Cunn. ex Benth.) Pedley, **comb. nov.**
*Acacia amblygona* Cunn. ex Benth., London J. Bot. 1: 332 (1842).

**Racosperma ammophilum** (Pedley) Pedley, **comb. nov.**
*Acacia ammophila* Pedley, Austrobaileya 1: 197 (1978).

**Racosperma ancistrocarpum** (Maiden & Blakely) Pedley, **comb. nov.**
*Acacia ancistrocarpa* Maiden & Blakely, J. & Proc. Roy. Soc. Western Australia 13: 31 (1928).

**Racosperma aneurum** (F.Muell. ex Benth.) Pedley, **comb. nov.**
*Acacia aneura* F.Muell. ex Benth., Linnaea 26: 627 (1855).

**Racosperma angustum** (Maiden & Blakely) Pedley, **comb. nov.**
*Acacia angusta* Maiden & Blakely, Proc. Roy. Soc. Queensland 38: 115 (1927).

**Racosperma apreptum** (Pedley) Pedley, **comb. nov.**
*Acacia aprepta* Pedley, Contr. Queensland Herb. 15: 5 (1974).

**Racosperma argyraeum** (Tindale) Pedley, **comb. nov.**
*Acacia argyraea* Tindale, Contr. New South Wales Natl. Herb. 4: 141 (1970).

**Racosperma argyrodendron** (Domin) Pedley, **comb. nov.**
*Acacia argyrodendron* Domin, Biblioth. Bot. 89: 261 (1926).

**Racosperma armillatum** Pedley, Austrobaileya 2: 325 (1987).

**Racosperma armitii** (F.Muell. ex Maiden) Pedley, **comb. nov.**
*Acacia armitii* F.Muell. ex Maiden, J. & Proc. Roy. Soc. New South Wales 51: 84 (1917).

**Racosperma asperulaceum** (F.Muell.) Pedley, **comb. nov.**
*Acacia asperulacea* F.Muell., J. Proc. Linn. Soc., Bot. 3: 123 (1859).

**Racosperma attenuatum** (Maiden & Blakely) Pedley, **comb. nov.**
*Acacia attenuata* Maiden & Blakely, Proc. Roy. Soc. Queensland 38: 117 (1927).

**Racosperma aulacocarpum** (Cunn. ex Benth.) Pedley, **comb. nov.**
*Acacia aulacocarpa* Cunn. ex Benth., London J. Bot. 1: 378 (1842).
**R. aulacocarpum** var. **aulacocarpum**
**R. aulacocarpum** var. **fruticosum** (C.White) Pedley, **comb. nov.**
*Acacia aulacocarpa* var. *fruticosa* C.White, Proc. Roy. Soc. Queensland 57: 23 (1946).

**Racosperma auriculiforme** (Cunn. ex Benth.) Pedley, J. Linn. Soc., Bot. 92: 247 (1986).

**Racosperma baeuerlenii** (Maiden & R.Baker) Pedley, **comb. nov.**
*Acacia baeuerlenii* Maiden & R.Baker, Proc. Linn. Soc. New South Wales ser. 2, 10: 583 (1896).

**Racosperma baileyanum** (F.Muell.) Pedley, **comb. nov.**
*Acacia baileyana* F.Muell., Trans. & Proc. Roy. Soc. Victoria 24: 168 (1888).

**Racosperma bakeri** (Maiden) Pedley, **comb. nov.**
*Acacia bakeri* Maiden, Proc. Linn. Soc. New South Wales ser. 2, 10: 337 (1895).

**Racosperma bancroftii** (Maiden) Pedley, **comb. nov.**
*Acacia bancroftii* Maiden, Proc. Roy. Soc. Queensland 30: 26 (1918).

**Racosperma baueri** (Benth.) Pedley, **comb. nov.**
*Acacia baueri* Benth., London J. Bot. 1: 344 (1842).

**Racosperma betchei** (Maiden & Blakely) Pedley, **comb. nov.**
*Acacia betchei* Maiden & Blakely, J. & Proc. Roy. Soc. New South Wales 60: 174 (1927).

**Racosperma binervatum** (DC.) Pedley, **comb. nov.**
*Acacia binervata* DC., Prodr. 2: 452 (1825).

**Racosperma blakei** (Pedley) Pedley, **comb. nov.**
*Acacia blakei* Pedley, Contr. Queensland Herb. 15: 6 (1974).
**R. blakei** subsp. **blakei**
**R. blakei** subsp. **diphyllum** (Tindale) Pedley, **comb. & stat. nov.**
*Acacia diphylla* Tindale, Telopea 1: 79 (1975).

**Racosperma brachycarpum** (Pedley) Pedley, **comb. nov.**
*Acacia brachycarpa* Pedley, Contr. Queensland Herb. 4: 5 (1969).

**Racosperma brachystachyum** (Benth.) Pedley, **comb. nov.**
*Acacia brachystachya* Benth., Fl. Austral. 2: 403 (1864).

**Racosperma brassii** (Pedley) Pedley, **comb. nov.**
*Acacia brassii* Pedley, Contr. Queensland Herb. 15: 6 (1974).

**Racosperma brownei** (Poiret) Pedley, **comb. nov.**
*Mimosa brownei* Poiret, Encycl. Meth. Bot. Suppl. 5: 530 (1817).

**Racosperma brunioides** (Cunn. ex G.Don) Pedley, **comb. nov.**
*Acacia brunioides* Cunn. ex G.Don, Gen. Hist. 2: 404 (1832).
**R. brunioides** subsp. **brunioides**
**R. brunioides** subsp. **graniticum** (Pedley) Pedley, **comb. nov.**
*Acacia brunioides* subsp. *granitica* Pedley, Austrobaileya 1: 246 (1980).

**Racosperma burbidgeae** (Pedley) Pedley, **comb. nov.**
*Acacia burbidgeae* Pedley, Austrobaileya 1: 249 (1980).

**Racosperma burrowii** (Maiden) Pedley, **comb. nov.**
*Acacia burrowii* Maiden, J. & Proc. Roy. Soc. New South Wales 53: 227 (1920).

**Racosperma buxifolium** (Cunn.) Pedley, **comb. nov.**
*Acacia buxifolia* Cunn. in Field, Geogr. Mem. New South Wales: 344 (1825).
**R. buxifolium** subsp. **buxifolium**
**R. buxifolium** subsp. **pubiflorum** (Pedley) Pedley, **comb. nov.**
*Acacia buxifolia* subsp. *pubiflora* Pedley, Austrobaileya 1: 281 (1980).

**Racosperma calanthum** (Pedley) Pedley, **comb. nov.**
*Acacia calantha* Pedley, Austrobaileya 1: 261 (1980).

**Racosperma calcicola** (Forde & Ising) Pedley, **comb. nov.**
*Acacia calcicola* Forde & Ising, Trans. & Proc. Roy. Soc. South Australia 81: 153 (1958).

**Racosperma calyculatum** (Cunn. ex Benth.) Pedley, **comb. nov.**
*Acacia calyculata* Cunn. ex Benth., London J. Bot. 1: 379 (1842).

**Racosperma cambagei** (R.Baker) Pedley, **comb. nov.**
*Acacia cambagei* R.Baker, Proc. Linn. Soc. New South Wales 25: 661 (1901).

**Racosperma canum** (Maiden) Pedley, **comb. nov.**
*Acacia cana* Maiden, J. & Proc. Roy. Soc. New South Wales 53: v(errata) (1920).

**Racosperma caroleae** (Pedley) Pedley, **comb. nov.**
*Acacia caroleae* Pedley, Austrobaileya 1: 132 (1978).

**Racosperma catenulatum** (C.White) Pedley, **comb. nov.**
*Acacia catenulata* C.White, Proc. Roy. Soc. Queensland 55: 63 (1944).

**Racosperma centrinervium** (Maiden & Blakely) Pedley, **comb. nov.**
*Acacia centrinervia* Maiden & Blakely, J. & Proc. Roy. Soc. New South Wales 60: 172 (1927).

The holotype was collected at Parkes, New South Wales. Two paratypes were cited: Inglewood, Queensland, *C.J.Smith* per *C.White*, October 1922 and Eummundi (sic), *Bailey* ('which we have not seen'). The species which is closely related to *R. lineatum* is not represented in the collections of the Queensland Herbarium (BRI).

**Racosperma chinchillense** (Tindale) Pedley, **comb. nov.**
*Acacia chinchillensis* Tindale, Telopea 1: 380 (1978).

**Racosperma chippendalei** (Pedley) Pedley, **comb. nov.**
*Acacia chippendalei* Pedley, Contr. Queensland Herb. 11: 12 (1972).

**Racosperma chisholmii** (Bailey) Pedley, **comb. nov.**
*Acacia chisholmii* Bailey, Queensland Agric. J. 4: 47 (1899).

**Racosperma cincinnatum** (F.Muell.) Pedley, **comb. nov.**
*Acacia cincinnata* F.Muell., Fragm. 11: 35 (1878).

**Racosperma complanatum** (Cunn. ex Benth.) Pedley, **comb. nov.**
*Acacia complanata* Cunn. ex Benth., London J. Bot. 1: 369 (1842).

**Racosperma concurrens** (Pedley) Pedley, J. Linn. Soc., Bot. 92: 248 (1986).

**Racosperma confertum** (Cunn. ex Benth.) Pedley, **comb. nov.**
*Acacia conferta* Cunn. ex Benth., London J. Bot. 1: 345 (1842).

**Racosperma conjunctifolium** (F.Muell.) Pedley, **comb. nov.**
*Acacia conjunctifolia* F.Muell., Fragm. 11: 68 (1879).

**Racosperma coriaceum** (DC.) Pedley, J. Linn. Soc., Bot. 92: 248 (1986).

**Racosperma cowleanum** (Tate) Pedley, **comb. nov.**
*Acacia cowleana* Tate, Report Horn Sci. Exped. III: 157,187 (1896).

**Racosperma crassum** (Pedley) Pedley, **comb. nov.**
*Acacia crassa* Pedley, Contr. Queensland Herb. 15: 9 (1974).
**R. crassum** subsp. **crassum**
**R. crassum** subsp. **longicomum** (Pedley) Pedley, **comb. nov.**
*A. crassa* subsp. *longicoma* Pedley, Austrobaileya 1: 178 (1978).

**Racosperma crassicarpum** (Cunn. ex Benth.) Pedley, **comb. nov.**
*Acacia crassicarpa* Cunn. ex Benth., London J. Bot. 1: 379 (1842).

**Racospermum cretatum** (Pedley) Pedley, **comb. nov.**
*Acacia cretata* Pedley, Contr. Queensland Herb. 4: 1 (1969).

**Racosperma crombiei** (C.White) Pedley, J. Linn. Soc., Bot. 92: 247 (1986).

**Racosperma cultriforme** (Cunn. ex G.Don) Pedley, **comb. nov.**
*Acacia cultriformis* Cunn. ex G.Don, Gen. Hist. 2: 406 (1832).

**Racosperma curranii** (Maiden) Pedley, **comb. nov.**
*Acacia curranii* Maiden, J. & Proc. Roy. Soc. New South Wales 49: 492 (1916).

**Racosperma cyperophyllum** (F.Muell. ex Benth.) Pedley, **comb. nov.**
*Acacia cyperophylla* F.Muell. ex Benth., Fl. Austral. 2: 400 (1864).

**Racosperma dawsonii** (R.Baker) Pedley, **comb. nov.**
*Acacia dawsonii* R.Baker, Proc. Linn. Soc. New South Wales 22: 153 (1897).

**Racosperma deanei** (R.Baker) Pedley, J. Linn. Soc., Bot. 92: 248 (1986).

**Racosperma debile** (Tindale) Pedley, **comb. nov.**
*Acacia debilis* Tindale, Telopea 1: 382 (1978).

**Racosperma decorum** (H.G.Reichb.) Pedley, **comb. nov.**
*Acacia decora* H.G.Reichb., Iconogr. Bot. Exot. 2: 35 (1838).

**Racosperma deuteroneurum** (Pedley) Pedley, **comb. nov.**
*Acacia deuteroneura* Pedley, Austrobaileya 1: 293 (1980).

**Racosperma dictyophlebum** (F.Muell.) Pedley, **comb. nov.**
*Acacia dictyophleba* F.Muell., Fragm. 3: 128 (1863).

**Racosperma dietrichianum** (F.Muell.) Pedley, **comb. nov.**
*Acacia dietrichiana* F.Muell., S. Sci. Rec. 2: 149 (1882).

**Racosperma difficile** (Maiden) Pedley, **comb. nov.**
*Acacia difficilis* Maiden in Ewart & Davies, Fl. N. Territory: 344 (1917).

**Racosperma dimidiatum** (Benth.) Pedley, **comb. nov.**
*Acacia dimidiata* Benth., London J. Bot. 1: 381 (1842).

**Racosperma drepanocarpum** (F.Muell.) Pedley, **comb. nov.**
*Acacia drepanocarpa* F.Muell., J. Proc. Linn. Soc., Bot. 3: 137 (1859).
**R. drepanocarpum** subsp. **drepanocarpum**
**R. drepanocarpum** subsp. **latifolium** (Pedley) Pedley, **comb. nov.**
*Acacia drepanocarpa* subsp. *latifolia* Pedley, Contr. Queensland Herb. 15: 10 (1974).

**Racosperma ensifolium** (Pedley) Pedley, J. Linn. Soc., Bot. 92: 248 (1986).

**Racosperma eremophiloides** (Pedley & P.Forster) Pedley, **comb. nov.**
*Acacia eremophiloides* Pedley & P.Forster, Austrobaileya 2: 277 (1986).

**Racosperma estrophiolatum** (F.Muell.) Pedley, **comb. nov.**
*Acacia estrophiolata* F.Muell., S. Sci. Rec. 2: 150 (1882).

**Racosperma everistii** (Pedley) Pedley, **comb. nov.**
*Acacia everistii* Pedley, Austrobaileya 1: 279 (1980).

**Racosperma excelsum** (Benth.) Pedley, **comb. nov.**
*Acacia excelsa* Benth. in Mitchell, J. Exped. Trop. Australia: 225 (1848).
**R. excelsum** subsp. **excelsum**
**R. excelsum** subsp. **angustum** (Pedley) Pedley, **comb. nov.**
*A. excelsa* subsp. *angusta* Pedley, Austrobaileya 1: 213 (1978).

**Racosperma falcatum** (Willd.) Martius, Hort. Reg. Monac. Semin. (1835).

I inadvertently made this combination a second time (Pedley 1986).

**Racosperma falciforme** (DC.) Pedley, **comb. nov.**
*Acacia falciformis* DC., Prodr. 2: 452 (1825).

**Racosperma fasciculiferum** (F.Muell. ex Benth.) Pedley, **comb. nov.**
*Acacia fasciculifera* F.Muell. ex Benth., Fl. Austral. 2: 361 (1864).

**Racosperma filicifolium** (Cheel & Welch) Pedley, **comb. nov.**
*Acacia filicifolia* Cheel & Welch, J. & Proc. Roy. Soc. New South Wales 65: 232 (1932).

**Racosperma fimbriatum** (Cunn. ex G.Don) Pedley, **comb. nov.**
*Acacia fimbriata* Cunn. ex G.Don, Gen. Hist. 2: 406 (1832).

**Racosperma flavescens** (Cunn. ex Benth.) Pedley, **comb. nov.**

*Acacia flavescens* Cunn. ex Benth., London J. Bot. 1: 381 (1842).

**Racosperma fleckeri** (Pedley) Pedley, **comb. nov.**
*Acacia fleckeri* Pedley, Austrobaileya 1: 211 (1978).

**Racosperma flexifolium** (Cunn. ex Benth.) Pedley, **comb. nov.**
*Acacia flexifolia* Cunn. ex Benth., London J. Bot. 1: 359 (1842).

**Racosperma floribundum** (Vent.) Pedley, **comb. nov.**
*Mimosa floribunda* Vent., Choix des Plantes t.13 (1803).

**Racosperma floydii** (Tindale) Pedley, **comb. nov.**
*Acacia floydii* Tindale, Telopea 1: 439 (1980).

**Racosperma galioides** (Benth.) Pedley, **comb. nov.**
*Acacia galioides* Benth., London J. Bot. 1: 344 (1842).

Contrary to my previous treatment of this taxon (Pedley 1972) I have not recognised any infraspecific taxa.

**Racosperma georginae** (Bailey) Pedley, **comb. nov.**
*Acacia georginae* Bailey, Queensland Depart. Agric. Stock., Bot. Bull. 13: 9 (1896).

**Racosperma gittinsii** (Pedley) Pedley, **comb. nov.**
*Acacia gittinsii* Pedley, Proc. Roy. Soc. Queensland 75: 30 (1964).

**Racosperma glaucocarpum** (Maiden & Blakely) Pedley, **comb. nov.**
*Acacia glaucocarpa* Maiden & Blakely, Proc. Roy. Soc. Queensland 38: 120 (1927).

**Racosperma gnidium** (Benth.) Pedley, **comb. nov.**
*Acacia gnidium* Benth., Fl. Austral. 2: 359 (1864).

**Racosperma gonocladum** (F.Muell.) Pedley, **comb. nov.**
*Acacia gonoclada* F.Muell., J. Proc. Linn. Soc., Bot. 3: 140 (1859).

**Racosperma grandifolium** (Pedley) Pedley, **comb. nov.**
*Acacia grandifolia* Pedley, Austrobaileya 1: 183 (1978).

**Racosperma graniticum** (Maiden) Pedley, **comb. nov.**
*Acacia granitica* Maiden, J. & Proc. Roy. Soc. New South Wales 54: 230 (1921).

**Racosperma gunnii** (Benth.) Pedley, **comb. nov.**
*Acacia gunnii* Benth., London J. Bot. 1: 332 (1842).

**Racosperma guymeri** (Tindale) Pedley, **comb. nov.**
*Acacia guymeri* Tindale, Telopea 1: 377 (1978).

**Racosperma hakeoides** (Cunn. ex Benth.) Pedley, **comb. nov.**
*Acacia hakeoides* Cunn. ex Benth., London J. Bot. 1: 354 (1842).

**Racosperma hammondii** (Maiden) Pedley, **comb. nov.**
*Acacia hammondii* Maiden, J. & Proc. Roy. Soc. New South Wales 51: 95 (1917).

**Racosperma handonis** (Pedley) Pedley, **comb. nov.**
*Acacia handonis* Pedley, Austrobaileya 1: 344 (1981).

**Racosperma harpophyllum** (F.Muell. ex Benth.) Pedley, **comb. nov.**
*Acacia harpophylla* F.Muell. ex Benth., Fl. Austral. 2: 389 (1864).

**Racosperma hemignostum** (F.Muell.) Pedley, **comb. nov.**
*Acacia hemignosta* F.Muell., J. Proc. Linn. Soc., Bot. 3: 134 (1859).

**Racosperma hemsleyi** (Maiden) Pedley, **comb. nov.**
*Acacia hemsleyi* Maiden, J. & Proc. Roy. Soc. New South Wales 51: 87 (1917).

**Racosperma hillianum** (Maiden) Pedley, **comb. nov.**
*Acacia hilliana* Maiden in Ewart & Davies, Fl. N. Territory: 340 (1917).

**Racosperma hispidulum** (Smith) Martius, Hort. Reg. Monac. Semin. (1835).

**Racosperma hockingsii** (Pedley) Pedley, **comb. nov.**
*Acacia hockingsii* Pedley, Austrobaileya 1: 255 (1980).

**Racosperma holosericeum** (Cunn. ex G.Don) Pedley, **comb. nov.**
*Acacia holosericea* Cunn. ex G.Don, Gen. Hist. 2: 407 (1832).

**Racosperma holotrichum** (Pedley) Pedley, **comb. nov.**
*Acacia holotricha* Pedley, Austrobaileya 1: 275 (1980).

**Racosperma homalocladum** (F.Muell.) Pedley, **comb. nov.**
*Acacia homaloclada* F.Muell., Fragm. 11: 34 (1878).

**Racosperma hubbardianum** (Pedley) Pedley, **comb. nov.**
*Acacia hubbardiana* Pedley, Contr. Queensland Herb. 4: 2 (1969).

**Racosperma humifusum** (Cunn. ex Benth.) Pedley, **comb. nov.**
*Acacia humifusa* Cunn. ex Benth., London J.Bot. 1: 382 (1842).

**Racosperma hyaloneurum** (Pedley) Pedley, **comb. nov.**
*Acacia hyaloneura* Pedley, Austrobaileya 1: 157 (1978).

**Racosperma hylonomum** (Pedley) Pedley, J. Linn. Soc., Bot. 92: 248 (1986).

**Racosperma implexum** (Benth.) Pedley, **comb. nov.**
*Acacia implexa* Benth., London J. Bot. 1: 368 (1842).

**Racosperma irroratum** (Sieber ex Sprengel) Pedley, **comb. nov.**
*Acacia irrorata* Sieber ex Sprengel, Syst. Veg. ed. 16. 3: 141 (1826).

**Racosperma islanum** (Pedley) Pedley, **comb. nov.**
*Acacia islana* Pedley, Austrobaileya 1: 249 (1980).

**Racosperma ixiophyllum** (Benth.) Pedley, **comb. nov.**
*Acacia ixiophylla* Benth., London J. Bot. 1: 364 (1842).

**Racosperma ixodes** (Pedley) Pedley, **comb. nov.**
*Acacia ixodes* Pedley, Austrobaileya 1: 256 (1980).

**Racosperma jackesianum** (Pedley) Pedley, **comb. nov.**
*Acacia jackesiana* Pedley, Austrobaileya 1: 128 (1978).

**Racosperma johnsonii** (Pedley) Pedley, **comb. nov.**
*Acacia johnsonii* Pedley, Austrobaileya 1: 245 (1980).

**Racosperma jucundum** (Maiden & Blakely) Pedley, **comb. nov.**
*Acacia jucunda* Maiden & Blakely, Proc. Roy. Soc. Queensland 38: 119 (1927).

**Racosperma juliferum** (Benth.) Pedley, J. Linn. Soc., Bot. 92: 248 (1986).
**R. juliferum** subsp. **juliferum**
**R. juliferum** subsp. **gilbertense** (Pedley) Pedley, **comb. nov.**
*Acacia julifera* subsp. *gilbertensis* Pedley, Austrobaileya 1: 162 (1978).

**Racosperma juncifolium** (Benth.) Pedley, **comb. nov.**
*Acacia juncifolia* Benth., London J. Bot. 1: 341 (1842).

**Racosperma kempeanum** (F.Muell.) Pedley, **comb. nov.**
*Acacia kempeana* F.Muell., Chem. & Druggist 5(51) Australasian Supplement: 26 (1882).

**Racosperma laccatum** (Pedley) Pedley, **comb. nov.**
*Acacia laccata* Pedley, Proc. Roy. Soc. Queensland 75: 31 (1964).

**Racosperma lanigerum** (Cunn.) Pedley, **comb. nov.**
*Acacia lanigera* Cunn. in Field, Geogr. Mem. New South Wales: 345 (1825).

**Racosperma latifolium** (Benth.) Pedley, **comb. nov.**
*Acacia latifolia* Benth., London J. Bot. 1: 382 (1842).

**Racosperma latisepalum** (Pedley) Pedley, **comb. nov.**
*Acacia latisepala* Pedley, Proc. Roy. Soc. Queensland 75: 31 (1964).

**Racosperma lautum** (Pedley) Pedley, **comb. nov.**
*Acacia lauta* Pedley, Austrobaileya 1: 257 (1980).

**Racosperma lazaridis** (Pedley) Pedley, **comb. nov.**
*Acacia lazaridis* Pedley, Austrobaileya 1: 341 (1981).

**Racosperma legnotum** (Pedley) Pedley, **comb. nov.**
*Acacia legnota* Pedley, Austrobaileya 1: 215 (1978).

**Racosperma leichhardtii** (Benth.) Pedley, **comb. nov.**
*Acacia leichhardtii* Benth., Fl. Austral. 2: 372 (1864).

**Racosperma leiocalyx** (Domin) Pedley, **comb. et stat. nov.**
*Acacia glaucescens* Willd. var. *leiocalyx* Domin, Biblioth. Bot. 89: 269 (1926).

Variation within the species is great; further work is needed and no infraspecific taxa are recognised at this time.

**Racosperma leptocarpum** (Cunn. ex Benth.) Pedley, **comb. nov.**
*Acacia leptocarpa* Cunn. ex Benth., London J. Bot. 1: 376 (1842).

**Racosperma leptolobum** (Pedley) Pedley, **comb. nov.**
*Acacia leptoloba* Pedley, Austrobaileya 1: 220 (1978).

**Racosperma leptostachyum** (Benth.) Pedley, **comb. nov.**
*Acacia leptostachya* Benth., Fl. Austral. 2: 406 (1864).

**Racosperma leucocladum** (Tindale) Pedley, **comb.nov.**
*Acacia leucoclada* Tindale, Proc. Linn. Soc. New South Wales: 91: 149 (1966).

**R. leucocladum** subsp. **leucocladum**

New South Wales, not in Queensland.

**R. leucocladum** subsp. **argentifolium** (Tindale) Pedley, **comb. nov.**
*Acacia leucoclada* subsp. *argentifolia* Tindale, Proc. Linn. Soc. New South Wales 91: 151 (1966).

**Racosperma ligulatum** (Cunn. ex Benth.) Pedley, **comb. nov.**
*Acacia ligulata* Cunn. ex Benth., London J. Bot. 1: 362 (1842).

I have followed Whibley (1980), Maslin (1981) and Maslin & Pedley (1982) in recognising this taxon as a distinct species rather than as a subspecies of *Acacia bivenosa* DC. (Pedley 1977).

**Racosperma limbatum** (F.Muell.) Pedley, **comb. nov.**
*Acacia limbata* F.Muell., J. Proc. Linn. Soc., Bot. 3: 145 (1859).

**Racosperma lineatum** (Cunn. ex G.Don) Pedley, **comb. nov.**
*Acacia lineata* Cunn. ex G.Don, Gen. Hist. 2: 403 (1832).

**Racosperma longipedunculatum** (Pedley) Pedley, **comb. nov.**
*Acacia longipedunculata* Pedley, Contr. Queensland Herb. 11: 17 (1972).

**Racosperma longispicatum** (Benth.) Pedley, **comb. nov.**
*Acacia longispicata* Benth. in Mitchell, J. Exped. Trop. Australia: 298 (1848).

**R. longispicatum** subsp. **longispicatum**

**R. longispicatum** subsp. **velutinum** (Pedley) Pedley, **comb. nov.**
*Acacia longispicata* subsp. *velutina* Pedley, Austrobaileya 1: 176 (1978).

**Racosperma longissimum** (H.Wendl.) Pedley, **comb. nov.**
*Acacia longissima* H.Wendl., Comm. Acac. 5: 45 (1820).

**Racosperma lorolobum** (Tindale) Pedley, **comb. nov.**
*Acacia loroloba* Tindale, Contr. New South Wales Natl. Herb. 4: 137 (1970).

**Racosperma lysiphloium** (F.Muell.) Pedley, **comb. nov.**
*Acacia lysiphloia* F.Muell., J. Proc. Linn. Soc., Bot. 3: 137 (1859).

**Racosperma macradenium** (Benth.) Pedley, **comb. nov.**
*Acacia macradenia* Benth. in Mitchell. J. Exped. Tropical Australia: 360 (1848).

**Racosperma maidenii** (F.Muell.) Pedley, **comb. nov.**
*Acacia maidenii* F.Muell., Bot. Centralbl. 51: 398 (1892).

**Racosperma maitlandii** (F.Muell.) Pedley, J. Linn. Soc., Bot. 92: 248 (1986).

**Racosperma mangium** (Willd.) Pedley, **comb. nov.**
*Acacia mangium* Willd., Sp. Plant. ed. 4. 4: 1053 (1806).

**Racosperma maranoense** (Pedley) Pedley, **comb. nov.**
*Acacia maranoensis* Pedley, Austrobaileya 1: 194 (1978).

**Racosperma megalanthum** (F.Muell.) Pedley, **comb. nov.**
*Acacia megalantha* F.Muell., J. Proc. Linn. Soc., Bot. 3: 143 (1859).

**Racosperma meiospermum** Pedley, Austrobaileya 2: 321 (1987).

**Racosperma melanoxylon** (R.Br.) Martius, Hort. Reg. Monac. Semin. (1835).

This combination was inadvertently made by me a second time (Pedley 1986).

**Racosperma melleodorum** (Pedley) Pedley, **comb. nov.**
*Acacia melleodora* Pedley, Austrobaileya 1: 205 (1978).

**Racosperma melvillei** (Pedley) Pedley, **comb. nov.**
*Acacia melvillei* Pedley, Austrobaileya 1: 201 (1978).

**Racosperma microcephalum** (Pedley) Pedley, **comb. nov.**
*Acacia microcephala* Pedley, Austrobaileya 1: 193 (1978).

**Racosperma microspermum** (Pedley) Pedley, **comb. nov.**
*Acacia microsperma* Pedley, Contr. Queensland Herb. 15: 21 (1974).

**Racosperma mimulum** (Pedley) Pedley, **comb. nov.**
*Acacia mimula* Pedley, Austrobaileya 1: 29 (1977).

**Racosperma montanum** (Benth.) Pedley, **comb. nov.**
*Acacia montana* Benth., London J. Bot. 1: 360 (1842).

**Racosperma monticola** (J.Black) Pedley, **comb. nov.**
*Acacia monticola* J.Black, Trans. & Proc. Roy. Soc. South Australia 61: 246 (1937).

**Racosperma muellerianum** (Maiden & R.Baker) Pedley, **comb. nov.**
*Acacia muelleriana* Maiden & R.Baker, Proc. Linn. Soc. New South Wales ser. 2, 8: 515 (1894).

**Racosperma multisiliquum** (Benth.) Pedley, **comb. et. stat. nov.**
*Acacia simsii* Benth. var. *multisiliqua* Benth., Fl. Austral. 2: 383 (1864).

**Racosperma murrayanum** (F.Muell. ex Benth.) Pedley, **comb. nov.**
*Acacia murrayana* F.Muell. ex Benth., Fl. Austral. 2: 370 (1864).

**Racosperma myrtifolium** (Smith) Martius, Hort. Reg. Monac. Semin. (1835).

**Racosperma neriifolium** (Cunn. ex Benth.) Pedley, **comb. nov.**
*Acacia neriifolia* Cunn. ex Benth., London J. Bot. 1: 357 (1842).
**R. neriifolium** subsp. **neriifolium**
**R. neriifolium** subsp. **pustulum** (Maiden & Blakely) Pedley, **comb. et stat. nov.**
*Acacia pustula* Maiden & Blakely, Proc. Roy. Soc. Queensland 38: 117 (1927).

**Racosperma nesophilum** (Pedley) Pedley, **comb. nov.**
*Acacia nesophila* Pedley, Contr. Queensland Herb. 15: 12 (1974).

**Racosperma nuperrimum** (E.G.Baker) Pedley, **comb. nov.**
*Acacia nuperrima* E.G.Baker, J. Bot. 6: 92 (1926).
**R. nuperrimum** subsp. **nupperimum**
**R. nuperrimum** subsp. **cassiterum** (Pedley) Pedley, **comb. nov.**
*Acacia nuperrima* subsp. *cassitera* Pedley, Austrobaileya 1: 188 (1978).

**Racosperma obtusifolium** (Cunn.) Pedley, **comb. nov.**
*Acacia obtusifolia* Cunn. in Field, Geogr. Mem. New South Wales: 345 (1825).

**Racosperma oligophlebum** (Pedley) Pedley, **comb. nov.**
*Acacia oligophleba* Pedley, Austrobaileya 1: 174 (1978).

**Racosperma omalophyllum** (Cunn. ex Benth.) Pedley, **comb. nov.**
*Acacia omalophylla* Cunn. ex Benth., London J. Bot. 1: 365 (1842).

**Racosperma ommatospermum** Pedley, Austrobaileya 2: 327 (1987).

**Racosperma orarium** (F.Muell.) Pedley, J. Linn. Soc., Bot. 92: 249 (1986).

**Racosperma orites** (Pedley) Pedley, **comb. nov.**
*Acacia orites* Pedley, Proc. Roy. Soc. Queensland 75: 32 (1964).

**Racosperma orthocarpum** (F.Muell.) Pedley, **comb. nov.**
*Acacia orthocarpa* F.Muell., J. Proc. Linn. Soc., Bot. 3: 136 (1859).

**Racosperma oshanesii** (F.Muell. & Maiden) Pedley, **comb. nov.**
*Acacia oshanesii* F.Muell. & Maiden, Proc. Linn. Soc. New South Wales ser. 2, 8: 15 (1893).

**Racosperma oswaldii** (F.Muell.) Pedley, **comb. nov.**
*Acacia oswaldii* F.Muell., Pl. Indig. Colony Victoria 2: 27 (1863).

**Racosperma paniculatum** Pedley, Austrobaileya 2: 324 (1987).

**Racosperma paradoxum** (DC.) Martius, Hort. Reg. Monac. Semin. (1835).

**Racosperma pendulum** (Cunn. ex G.Don) Pedley, **comb. nov.**
*Acacia pendula* Cunn. ex G.Don, Gen. Hist. 2: 404 (1832).

**Racosperma penninerve** (Sieber ex DC.) Pedley, J. Linn. Soc., Bot. 92: 239 (1986).
**R. penninerve** var. **penninerve**
**R. penninerve** var. **longiracemosum** (Domin) Pedley, **comb. nov.**
*Acacia penninervis* var. *longiracemosa* Domin, Biblioth. Bot. 89: 254 (1926).

**Racosperma perangustum** (C.White) Pedley, **comb. & stat. nov.**
*Acacia fimbriata* var. *perangusta* C.White, Proc. Roy. Soc. Queensland 50: 72 (1939).

**Racosperma petraeum** (Pedley) Pedley, J. Linn. Soc., Bot. 92: 249 (1986).

**Racosperma peuce** (F.Muell.) Pedley, J. Linn. Soc., Bot. 92: 249 (1986).

**Racosperma phlebocarpum** (F.Muell.) Pedley, **comb. nov.**
*Acacia phlebocarpa* F.Muell., J. Proc. Linn. Soc., Bot. 3: 119 (1859).

**Racosperma platycarpum** (F.Muell.) Pedley, **comb. nov.**
*Acacia platycarpa* F.Muell., J. Proc. Linn. Soc., Bot. 3: 145 (1859).

**Racosperma plectocarpum** (Cunn. ex Benth.) Pedley, **comb. nov.**
*Acacia plectocarpa* Cunn. ex Benth., London J. Bot. 1: 375 (1842).
**R. plectocarpum** subsp. **plectocarpum**

Northern Territory and Western Australia, not in Queensland.
**R. plectocarpum** subsp. **tanumbirinense** (Maiden) Pedley, **comb. et stat. nov.**
*Acacia tanumbirinensis* Maiden in Ewart & Davis, Fl. N. Territory: 338 (1917).

**Racosperma podalyriifolium** (Cunn. ex G.Don) Pedley, **comb. nov.**
*Acacia podalyriifolia* Cunn. ex G.Don, Gen. Hist. 2: 405 (1832).

**Racosperma polifolium** (Pedley) Pedley, **comb. nov.**
*Acacia polifolia* Pedley, Austrobaileya 1: 294 (1980).

**Racosperma polyadenium** Pedley, Austrobaileya 2: 322 (1987).

**Racosperma polybotryum** (Benth.) Pedley, **comb. nov.**
*Acacia polybotrya* Benth., London J. Bot. 1: 384 (1842).

**Racosperma polystachyum** (Cunn. ex Benth.) Pedley, **comb. nov.**
*Acacia polystachya* Cunn. ex Benth., London J. Bot. 1: 376 (1842).

**Racosperma pravifolium** (F.Muell.) Pedley, **comb. nov.**
*Acacia pravifolia* F.Muell., Fragm. 1: 4 (1858).

**Racosperma pruinosum** (Cunn. ex Benth.) Pedley, **comb. nov.**
*Acacia pruinosa* Cunn. ex Benth., London J. Bot. 1: 383 (1842).

**Racosperma pubicostum** (C.White) Pedley, **comb. nov.**
*Acacia pubicosta* C.White, Proc. Roy. Soc. Queensland 50: 73 (1939).

**Racosperma pubifolium** (Pedley) Pedley, **comb. nov.**
*Acacia pubifolia* Pedley, Proc. Roy. Soc. Queensland 74: 59 (1964).

**Racosperma pubirhachis** (Pedley) Pedley, **comb. nov.**
*Acacia pubirhachis* Pedley, Contr. Queensland Herb. 15: 15 (1974).

**Racosperma purpureipetalum** (Bailey) Pedley, **comb. nov.**
*Acacia purpureapetala* Bailey, Queensland Agric. J. 15: 780 (1905).

**Racosperma quadrilaterale** (DC.) Pedley, **comb. nov.**
*Acacia quadrilateralis* DC., Prodr. 2: 451 (1825).

**Racosperma ramiflorum** (Domin) Pedley, **comb. nov.**
*Acacia ramiflora* Domin, Biblioth. Bot. 89: 260 (1926).

**Racosperma ramulosum** (W.V.Fitzg.) Pedley, **comb. nov.**
*Acacia ramulosa* W.V.Fitzg., J. Western Australian Nat. Hist. Soc. 2: 15 (1905).

**Racospermum resinicostatum** (Pedley) Pedley, **comb. nov.**
*Acacia resinicostata* Pedley, Contr. Queensland Herb. 15: 1 (1974).

**Racosperma retiveneum** (F.Muell.) Pedley, **comb. nov.**
*Acacia retivenea* F.Muell., Fragm. 3: 128 (1863).

**Racosperma rhodoxylon** (Maiden) Pedley, **comb. nov.**
*Acacia rhodoxylon* Maiden, J. & Proc. Roy. Soc. New South Wales 53: 223 (1920).

**Racosperma rigens** (Cunn. ex G.Don) Pedley, **comb. nov.**
*Acacia rigens* Cunn. ex G.Don, Gen. Hist. 2: 403 (1832).

**Racosperma rothii** (Bailey) Pedley, **comb. nov.**
*Acacia rothii* Bailey, Queensland Agric. J. 6: 39 (1900).

**Racosperma rubidum** (Cunn.) Pedley, **comb. nov.**
*Acacia rubida* Cunn. in Field, Geogr. Mem. New South Wales: 344 (1825).

**Racosperma ruppii** (Maiden & Betche) Pedley, **comb. nov.**
*Acacia ruppii* Maiden & Betche, Proc. Linn. Soc. New South Wales 37: 244 (1912).

**Racosperma salicinum** (Lindley) Pedley, **comb.** nov.
*Acacia salicina* Lindley in Mitchell, Three Exped. Australia 2: 20 (1838).

**Racospermum salignum** (Labill.) Pedley, **comb. nov.**
*Mimosa saligna* Labill., Nov. Holl. Pl. 2: 86 (1806).

**Racosperma saxicola** (Pedley) Pedley, **comb. nov.**
*Acacia saxicola* Pedley, Contr. Queensland Herb. 4: 4 (1969).

**Racosperma semilunatum** (Maiden & Blakely) Pedley, **comb. nov.**
*Acacia semilunata* Maiden & Blakely, Proc. Roy. Soc. Queensland 38: 11 (1927).

**Racosperma semirigidum** (Maiden & Blakely) Pedley, **comb. nov.**
*Acacia semirigida* Maiden & Blakely, Proc. Roy. Soc. Queensland 38: 116 (1927).

**Racosperma shirleyi** (Maiden) Pedley, **comb. nov.**
*Acacia shirleyi* Maiden, J. & Proc. Roy. Soc. New South Wales 53: 218 (1920).

**Racosperma simsii** (Benth.) Pedley, **comb. nov.**
*Acacia simsii* Benth., London J. Bot. 1: 368 (1842).

**Racosperma sophorae** (Labill.) Martius, Hort. Reg. Monac. Semin. (1835).

**Racosperma spanium** (Pedley) Pedley, **comb. nov.**
*Acacia spania* Pedley, Austrobaileya 1: 140 (1978).

**Racosperma sparsiflorum** (Maiden) Pedley, **comb. nov.**
*Acacia sparsiflora* Maiden, J. & Proc. Roy. Soc. New South Wales 53: 221 (1920).

**Racosperma spectabile** (Cunn. ex Benth.) Pedley, **comb. nov.**
*Acacia spectabilis* Cunn. ex Benth., London J. Bot. 1: 383 (1842).

**Racosperma spirorbe** (Labill.) Pedley, **comb. nov.**
*Acacia spirorbis* Labill., Sert. Austro-caled. 69, t.69 (1825).

**R. spirorbe** subsp. **spirorbe**
*Acacia solandri* subsp. *kajewskii* Pedley, Contr. Queensland Herb. 18: 21 (1975), **syn. nov.**

New Caledonia, Loyalty Is and Vanuatu, not in Australia.

**R. spirorbe** subsp. **solandri** (Benth.) Pedley, **comb. et stat. nov.**
*Acacia solandri* Benth., Fl. Austral. 2: 406 (1864).

I agree with Nielsen (1983) that *A. solandri* should be treated as a subspecies of *A. spirorbis*, and have therefore reduced it in rank.

**Racosperma spondylophyllum** (F.Muell.) Pedley, **comb. nov.**
*Acacia spondylophylla* F.Muell., Fragm. 8: 243 (1874).

**Racosperma stenophyllum** (Cunn. ex Benth.) Pedley, **comb. nov.**
*Acacia stenophylla* Cunn. ex Benth., London J. Bot. 1: 366 (1842).

**Racosperma stipuligerum** (F.Muell.) Pedley, **comb. nov.**
*Acacia stipuligera* F.Muell., J. Proc. Linn. Soc., Bot. 3: 144 (1859).
**R. stipuligerum** subsp. **stipuligerum**

Northern Territory, not in Queensland.
**R. stipuligerum** subsp. **glabrifolium** (Maiden & Blakely) Pedley, **stat. nov.**
*Acacia stipuligera* var. *glabrifolia* Maiden & Blakely, Proc. Roy. Soc. Queensland 38: 120 (1927).

**Racosperma storyi** (Tindale) Pedley, **comb. nov.**
*Acacia storyi* Tindale, Proc. Linn. Soc. New South Wales 91: 147 (1966).

**Racosperma stowardii** (Maiden) Pedley, **comb. nov.**
*Acacia stowardii* Maiden, J. & Proc. Roy. Soc. New South Wales 51: 269 (1917).

**Racosperma striatifolium** (Pedley) Pedley, **comb. nov.**
*Acacia striatifolia* Pedley, Austrobaileya 1: 141 (1978).

**Racosperma strictum** (Andr.) Martius, Hort. Reg. Monac. Semin. (1835).

**Racosperma strongylophyllum** (F.Muell.) Pedley, **comb. nov.**
*Acacia strongylophyllum* F.Muell., Fragm. 8: 226 (1874).

**Racosperma suaveolens** (Smith) Martius, Hort. Reg. Monac. Semin. (1835).

**Racospermum tenuinerve** (Pedley) Pedley, **comb. nov.**
*Acacia tenuinervis* Pedley, Austrobaileya 1: 142 (1978).

**Racosperma tenuissimum** (F.Muell.) Pedley, **comb. nov.**
*Acacia tenuissima* F.Muell., J. Proc. Linn. Soc., Bot. 3: 135 (1859).

**Racosperma tephrinum** (Pedley) Pedley, **comb. nov.**
*Acacia tephrina* Pedley, Austrobaileya 1: 342 (1981).

**Racosperma tetragonophyllum** (F.Muell.) Pedley, **comb. nov.**
*Acacia tetragonophylla* F.Muell., Fragm. 4: 3 (1863).

**Racosperma tindaleae** (Pedley) Pedley, **comb. nov.**
*Acacia tindaleae* Pedley, Austrobaileya 1: 248 (1980).

**Racosperma torulosum** (Benth.) Pedley, **comb. nov.**
*Acacia torulosa* Benth., J. Proc. Linn. Soc., Bot. 3: 139 (1859).

**Racosperma translucens** (Cunn. ex Hook.) Pedley, **comb. nov.**
*Acacia translucens* Cunn. ex Hook., Icon. Pl. 2: t.160 (1837).

**Racosperma tripterum** (Benth.) Pedley, **comb. nov.**
*Acacia triptera* Benth., London J. Bot. 1: 325 (1842).

**Racosperma tropicum** (Maiden & Blakely) Pedley, **comb. & stat. nov.**
*Acacia cunninghamii* Hook. var. *tropica* Maiden & Blakely, J. & Proc. Roy. Soc. Western Australia 13: 31 (1928).

**Racosperma ulicifolium** (Salisb.) Pedley, **comb. nov.**
*Mimosa ulicifolia* Salisb., Prod. Stirp. Chap. Allerton 324 (1796).

**Racosperma umbellatum** (Cunn. ex Benth.) Pedley, **comb. nov.**
*Acacia umbellata* Cunn. ex Benth., London. J. Bot. 1: 378 (1842).

**Racosperma unciferum** (Benth.) Pedley, **comb. nov.**
*Acacia uncifera* Benth. in Mitchell, J. Exped. Trop. Australia: 341 (1848).

**Racospermum uncinatum** (Lindley) Pedley, **comb. nov.**
*Acacia uncinata* Lindley, Bot. Reg. 16: t.1332 (1830).

**Racosperma venulosum** (Benth.) Pedley, **comb. nov.**
*Acacia venulosa* Benth., London J. Bot. 1: 366 (1842).

**Racosperma vernicifluum** (Cunn.) Pedley, **comb. nov.**
*Acacia verniciflua* Cunn. in Field, Geogr. Mem. New South Wales: 344 (1825).

**Racosperma victoriae** (Benth.) Pedley, **comb. nov.**
*Acacia victoriae* Benth. in Mitchell, J. Exped. Trop. Australia: 333 (1848).

**Racosperma viscidulum** (Benth.) Pedley, **comb. nov.**
*Acacia viscidula* Benth., London J. Bot. 1: 363 (1842).

**Racosperma wardellii** (Tindale) Pedley, **comb. nov.**
*Acacia wardellii* Tindale, Contr. New South Wales Natl. Herb. 4: 139 (1970).

**Racosperma whitei** (Maiden) Pedley, **comb. nov.**
*Acacia whitei* Maiden, Proc. Roy. Soc. Queensland 30: 35 (1918).

**Racosperma wickhamii** (Benth.) Pedley, **comb. nov.**
*Acacia wickhamii* Benth., London J. Bot. 1: 377 (1842).

## Acknowledgement

I am grateful to Mr A.D.Chapman, Bureau of Flora and Fauna, Canberra who made available to me part of his *Australian Plant Name Index*. Without it the compilation of a list such as this would have been much more difficult than it proved to be.

## References

MASLIN, B.R. (1981). *Acacia*. In J.P.Jessop (ed.), Flora of Central Australia. Sydney: Reed.

MASLIN, B.R. & PEDLEY, L. (1982). The distribution of *Acacia* (Leguminosae: Mimosoideae) in Australia. Part 1. Species distribution maps. *Western Australian Herbarium Research Notes*. No.6. 1–128.

NIELSEN, I. (1983). Leguminosae: Mimosoideae. In J.F. Leroy & H.S. Mackee (eds.), Flore de la Nouvelle-Caledonie et dependances. 12. Paris: Museum National d'Histoire Naturelle.

PEDLEY, L. (1972). A revision of *Acacia lycopodiifolia* A.Cunn. ex Hook. and its allies. *Contributions from the Queensland Herbarium* No. 11.

PEDLEY, L. (1977). Notes on Leguminosae. I. *Austrobaileya* 1: 25–42.

PEDLEY, L. (1978). A revision of *Acacia* Mill. in Queensland. *Austrobaileya* 1: 75–234.

PEDLEY, L. (1980). A revision of *Acacia* Mill. in Queensland (concluded). *Austrobaileya* 1: 235–337 '1979'.

PEDLEY, L. (1981). Further notes on *Acacia* in Queensland. *Austrobaileya*: 1: 339–345.

PEDLEY, L. (1986). Derivation and dispersal of *Acacia* (Leguminosae) with particular reference to Australia, and the recognition of *Senegalia* and *Racosperma*. *Botanical Journal of the Linnean Society* 92: 219–254.

PEDLEY, L. (1987). Notes on *Racosperma* (Leguminosae: Mimosoideae), 1. *Austrobaileya* 2: 321–327.

PEDLEY, L. & FORSTER, P.I. (1986). *Acacia eremophiloides* (Mimosaceae) a new species from south-eastern Queensland. *Austrobaileya* 2: 277–280.

WHIBLEY, D.J.E. (1980). Acacias of South Australia. Adelaide: Government Printer.